

Public Works (1952) Department.

Ms SERIES.

ms close
Ag.

G.O. NO. Ms. 3576.

3576

25-8-52

Dated the 25th August, 1952.

030011

[Despatch Abstract.]

Electricity Department - Establishment - Temporary - Pykara
Electricity System - Supply of Electricity to Kankala in South
Kannara District - Post of Stone keeper, III Grade cum Bill
Collector - Sanctioned: ----


GOVERNMENT ELECTRICITY DEPARTMENT.

From

The Chief Operation Engineer (South),
157, Mount Road, Madras-2.

To

The Secretary to Government,
Public Works Department,
Fort St. George, Madras.



No. 519-H/52-3, dated 5-8-1952.

Sir,

66959

Sub: Establishment - Temporary - Pykara Electricity
System - Supply of power to Karkala in South
Kanara - Revival of sanction for certain post -
Proposal.

(E) p9cf

Ref: i) G.O.Ms.No.2540, P.W., dated 18-6-1951 and
ii) G.O.Ms.No.1207, P.W., dated 19-3-1952.

(A) p3cf

Sanction was accorded in G.O.Ms.No.2540, P.W., dated 18-6-1951 for the employment of one Storekeeper III Grade-cum-Bill Collector and one peon for field and one Lower Division Clerk for the Central Office of the Pykara System for six months from date of appointment in respect of improvements to supply to Karkala in South Kanara District. The post of peon alone referred to above, was continued for six more months in G.O.Ms.1207, P.W., dated 19-3-1952.

2. The remaining posts of one Storekeeper III Grade-cum-Bill Collector for the field and one Lower Division Clerk for Central Office sanctioned in G.O.Ms.2540, P.W., dated 18-6-1952 were not so far utilised as the works were managed somehow by the existing staff. The sanction therefore lapsed on 17-6-1952.


3. It is now found that a Storekeeper-cum-Bill Collector is essential for the following:-

- (i) The nearest departmental stores at Udipi is 24 miles away from Karkala and it is therefore necessary to stock essential Operation and Maintenance and service connection materials at Karkala itself.
- (ii) The fuel oil and lubricating oil stocks required for Karkala power house should be under the custody of a responsible person.
- (iii) Consequent on the increase in the number of services in the distribution, the services of a Bill Collector is required for the distribution.

4. In the circumstances explained above, I request that Government may be pleased to revive the sanction for the above post of Store-keeper III Grade-cum-Bill Collector for 6 months from date of appointment.

5. Early orders of Government are requested.

PYJ/6-8.


For Chief Operation Engineer (South).

V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V-V

Dated the 25th August, 1952.

G.O.No.2540, Public Works dated 18.6.1951.
G.O.No.1207, Public Works dated 19.3.1952.
From the Chief Operation Engineer (South),
No.519-H/52-3 dated 5.8.1952.

The Government sanction the employment for a period of six months from the date of appointment, of one Storekeeper III Grade cum Bill Collector for attending to the construction work relating to the scheme for improving the supply of electricity at Karkala and Udipi in South Kanara District.

(By Order of the Governor of Madras)

For:

The Chief Operation Engineer (South)-
The Accountant General through Finance.

KC.27/8.

SUPERINTENDENT.

go
ms No

3576

d. 25.8.52

WJ
95

Elec. Dept - Est - Tempy - Pykara Elec.
System - Supply of power electricity to
Karkala in South Kanara Dh. Post of
Storekeeper ^{III grade} cum Bill collector - Revised
~~order~~ Sanctioned.

⑤ 1925
④ 1925
1105

Read Again go. No. 2540 P.W. d. 18-6-51

go. No. 1207 P.W. d. 19-3-52

From the C.O.E(3) No. 519.4/52-3 d. 5-8-52.

8/1105

The Govt. sanction the
~~employment~~ for a period of six months from
the date of appointment, of ~~the post of~~
one Storekeeper ^{III grade} cum Bill
collector ~~sanctioned in go. No. 2540 P.W. d. 18-6-51~~
~~dated 18-6-51~~ for attending to the construction
work relating to the scheme for
improving the supply of electricity at
Karkala and Udipi in South Kanara Dh.
~~interim order No. 519.4/52-3 of 5-8-52.~~


To / P.W. 12/8/52
The C.O.E (3)
The A.G. Thro. Fin
28/8/52

12/8/52
CV
12.8.52

The expenditure is attributable to
"S.A. Capital Outlay on Electricity
Schemes - II Thermo Electric Schemes
(excluding P.W.R) - Udipi Thermal
Scheme - C. Estn."

13.8.52


Note. The above draft order is submitted
for approval with reference to the C.O.E's
letter in the cf. It may be sent to
Fin for acceptance.



12/8/52

13.8.52

Fin (E.I)



May be accepted and returned to P.W. Dept.

P.W.D. No.

66059

18/8/52

P. W. D (R)

The draft order overlap
may now issue.

PM
19/8/52

N
G. R. S. R.

Ch
21-8-52